



Earth Positive® Women's Premium Jersey T-shirt

100% GOTS Organic Cotton Compact Spun

Jersey 5.5 oz / 185 g

Origin

India

XS S M L XL 2XL


ORGANIC
Soil Association Certification
GOTS-10509



**STANDARD
100**
11-72088
Kilobits

Black
BLWhite
WH

Stone
Washed
Black
SBL



Size	Width (A)		Length (B)	
	cm	inch	cm	inch
XS	45	17½	56.5	22¼
S	47.5	18½	58	22¾
M	50	19½	59.5	23½
L	52.5	20½	61	24
XL	55	21½	62.5	24½
2XL	57.5	22½	64	25¼



Discharge printing suitability

Important: This guide serves as a general reference, and results may vary. We strongly recommend testing prior to production.

Core colours				Stone washed					
		Very Good	Moderate	Not Suitable			Very Good	Moderate	Not Suitable
	Black BL	✓				Stone Washed Black SBL		✓	
	White WH	✓							



Printing Guide

Print type	Print type	Printing suitability 0 = Not Suitable, 1 = Poor, 2 = Moderate, 3 = Good, 4 = Very Good, 5 = Excellent	Printing recommendations
Jersey 100% Organic Cotton Solid Colours (excluding RFD colours)	Screen print	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Discharge	★★★★★	The results may vary from one colour to another. Refer to our discharge printing recommendations on the following page.
	Transfer (Sticker)	★★★★☆	Follow manufacturer's recommendations for curing settings.
	Direct to garment	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Embroidery	★★★★★	Direct embroidery, stitched patch, labels

***Maximum heat recommendation for back neck label** Fusing 180°C / 3-6 sec, 6 psi
Curing 180°C / 1 min

Print type	Print type	Printing suitability 0 = Not Suitable, 1 = Poor, 2 = Moderate, 3 = Good, 4 = Very Good, 5 = Excellent	Printing recommendations
Jersey 100% Organic Cotton Stone Washed, Acid Washed & Tie Dye Colours	Screen print	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Discharge	★★★★★	The results may vary from one colour to another. Refer to our discharge printing recommendations on the following page.
	Transfer (Sticker)	★★★★☆	Follow manufacturer's recommendations for curing settings.
	Direct to garment	★★★★☆	Follow manufacturer's recommendations for printing and curing settings.
	Embroidery	★★★★★	Direct embroidery, stitched patch, labels

***Maximum heat recommendation for back neck label** Fusing 180°C / 3-6 sec, 6 psi
Curing 180°C / 1 min