



## EP315

### Product name

Earth Positive® Women's Funnel Neck Sweatshirt

### Fibre composition / Yarn type

100% GOTS Organic Cotton Compact Spun

### Fabric type / Weight

3-ply french terry brushed 300 g/m<sup>2</sup>

### Commodity code

6110 2099 00

### Origin

India

### Available sizes

XS S M L XL 2XL

### Certifications



### Available colours



Sueded Black  
SUBL



Sueded Light  
Heather  
SULHE



Sueded  
Off White  
SUWM



Sueded  
Fawn  
SUF



Sueded  
Pale Lemon  
SUPLE



Sueded  
Orange  
SUOR



Sueded  
Miami Pink  
SUPR




Sueded  
Slate Green  
SUSLGR



Sueded  
Bamboo  
Green  
SUBGR



Sueded  
Blue Dusk  
SUBD



### Size spec

Size	Width (A)		Length (B)	
	cm	inch	cm	inch
XS	49	19¼	60.5	23¾
S	51.5	20¼	62	24½
M	54	21¼	64	25¼
L	56.5	22¼	66	26
XL	59	23¼	68	26¾
2XL	61.5	24¼	69	27¼

## Discharge printing suitability

Important: This guide serves as a general reference, and results may vary. We strongly recommend testing prior to production.

### Solid colours

		Very Good	Moderate	Not Suitable
	<b>Sueded Black</b> SUBL	✓		
	<b>Sueded Light Heather</b> SULHE		✓	
	<b>Sueded Off White</b> SUWM	✓		
	<b>Sueded Fawn</b> SUFA	✓		
	<b>Sueded Pale Lemon</b> SUPLE		✓	
	<b>Sueded Oragne</b> SUOR		✓	
	<b>Sueded Miami Pink</b> SUPR	✓		
	<b>Sueded Slate Green</b> SUSLGR		✓	
	<b>Sueded Bamboo Green</b> SUBGR		✓	
	<b>Sueded Blue Dusk</b> SUBD		✓	

## Printing Guide

Print type	Print type	Printing suitability 0 = Not Suitable, 1 = Poor, 2 = Moderate, 3 = Good, 4 = Very Good, 5 = Excellent	Printing recommendations
Fleece 100% Organic Cotton Sueded Colours	Screen print	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Discharge	★★★★★	The results may vary from one colour to another. Refer to our discharge printing recommendations on the following page.
	Transfer (Sticker)	★★★★☆	Follow manufacturer's recommendations for curing settings.
	Direct to garment	★★★★☆	Follow manufacturer's recommendations for printing and curing settings.
	Embroidery	★★★★★	Direct embroidery, stitched patch, labels

**\*Maximum heat recommendation for back neck label** Fusing 180°C / 3-6 sec, 6 psi  
Curing 180°C / 1 min