



EP302

Product name

Earth Positive Sweatshirt

Fibre composition / Yarn type

100% GOTS Organic Cotton Compact Spun

Fabric type / Weight

Brushed Fleece 3-ply 8.9 oz/yd² 300 g/m²

Commodity code

6110 2091 00

Origin

India

Available sizes

XS S M L XL 2XL 3XL



Certifications



Available colours



Stone Washed



Size spec



Size	Width (A)		Length (B)*	
	cm	inch	cm	inch
XS	50	19¾	66.5	26¼
S	53	20¾	69.5	27¼
M	56	22	72.5	28½
L	59	23¼	74.5	29¼
XL	62	24½	76.5	30
2XL	65	25½	78.5	31
3XL	68	26¾	80.5	31¾

Length (B)*: The length of EP302 XL, 2XL, 3XL has been updated in production. Prior to March 2025 production the old lengths measured XL - 75.5, 2XL - 76.5, 3XL - 76.5.














Discharge printing suitability

Important: This guide serves as a general reference, and results may vary. We strongly recommend testing prior to production.






Core colours

	Very Good	Moderate	Not Suitable
 Black BL	✓		
 White WH	✓		

Solid colours

	Very Good	Moderate	Not Suitable
 Redy for Dye (RFD) RFD			✓
 Light Beige SA		✓	
 Bone BON	✓		
 Miami Pink PR	✓		
 Cherry Red CHRE	✓		
 Burnt Yellow MA	✓		
 Denim Blue DE	✓		
 French Navy FRNA	✓		
 Forest Green FGR	✓		
 Light Grey GY		✓	
 Light Heather LHE		✓	
 Dark Heather DHE		✓	
 Light Charcoal LCH	✓		

Faded colours

	Very Good	Moderate	Not Suitable
 Faded White FWH	✓		
 Faded Pink FPK	✓		
 Faded Burgundy FBU	✓		
 Faded Khaki FKH	✓		
 Faded Mustard FMU	✓		
 Faded Brown FBR	✓		
 Faded Navy FNA	✓		
 Faded Black Deep Grey FBDG	✓		
 Faded Olive Black FBL	✓		

Stone washed

	Very Good	Moderate	Not Suitable
 Stone Washed Pink SPK	✓		
 Stone Washed Burgundy SBU	✓		
 Stone Washed Sage Green SSAG	✓		
 Stone Washed Green SGR	✓		
 Stone Washed Denim SDE	✓		
 Stone Washed Grey SGY		✓	
 Stone Washed Black SBL		✓	

Printing Guide

Print type	Print type	Printing suitability 0 = Not Suitable, 1 = Poor, 2 = Moderate, 3 = Good, 4 = Very Good, 5 = Excellent	Printing recommendations
Jersey 100% Organic Cotton Solid Colours (excluding RFD colours)	Screen print	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Discharge	★★★★★	The results may vary from one colour to another. Refer to our discharge printing recommendations on the following page.
	Transfer (Sticker)	★★★★☆	Follow manufacturer's recommendations for curing settings.
	Direct to garment	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Embroidery	★★★★★	Direct embroidery, stitched patch, labels

***Maximum heat recommendation for back neck label** Fusing 180°C / 3-6 sec, 6 psi
Curing 180°C / 1 min

Print type	Print type	Printing suitability 0 = Not Suitable, 1 = Poor, 2 = Moderate, 3 = Good, 4 = Very Good, 5 = Excellent	Printing recommendations
Jersey 100% Organic Cotton RFD Colour	Screen print	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Discharge	N/A	The results may vary from one colour to another. Refer to our discharge printing recommendations on the following page.
	Transfer (Sticker)	★★★★☆	Follow manufacturer's recommendations for curing settings.
	Direct to garment	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Embroidery	★★★★★	Direct embroidery, stitched patch, labels

***Maximum heat recommendation for back neck label** Fusing 180°C / 3-6 sec, 6 psi
Curing 180°C / 1 min

Print type	Print type	Printing suitability 0 = Not Suitable, 1 = Poor, 2 = Moderate, 3 = Good, 4 = Very Good, 5 = Excellent	Printing recommendations
Jersey 100% Organic Cotton Stone Washed, Acid Washed & Tie Dye Colours	Screen print	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Discharge	★★★★★	The results may vary from one colour to another. Refer to our discharge printing recommendations on the following page.
	Transfer (Sticker)	★★★★☆	Follow manufacturer's recommendations for curing settings.
	Direct to garment	★★★★☆	Follow manufacturer's recommendations for printing and curing settings
	Embroidery	★★★★★	Direct embroidery, stitched patch, labels

***Maximum heat recommendation for back neck label** Fusing 180°C / 3-6 sec, 6 psi
Curing 180°C / 1 min

Printing Guide

Print type	Print type	Printing suitability 0 = Not Suitable, 1 = Poor, 2 = Moderate, 3 = Good, 4 = Very Good, 5 = Excellent	Printing recommendations
Jersey 100% Organic Cotton Heather Colour	Screen print	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Discharge	★★★★☆	The results may vary from one colour to another. Refer to our discharge printing recommendations on the following page.
	Transfer (Sticker)	★★★★☆	Follow manufacturer's recommendations for curing settings.
	Direct to garment	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Embroidery	★★★★★	Direct embroidery, stitched patch, labels

***Maximum heat recommendation for back neck label** Fusing 180°C / 3-6 sec, 6 psi
Curing 180°C / 1 min