EARTH POSITIVE®



EP312

Product name

Earth Positive® Short Sleeve Sweatshirt

Fibre composition / Yarn type

100% GOTS Organic Cotton Compact Spun

Fabric type / Weight

Brushed 3-ply 8.8 oz/yd² 300 g/m²

Commodity code

6110 2091 00

Origin

India


Available sizes

XS S M L XL 2XL 3XL

Certifications

ORGANIC
Soil Association Certification
GOTS-11351

OEKO TEX® MADE IN GREEN M2DNBD7G8 Shirley www.oeko-tex.com



Available colours



Black **BL**
Dark Navy **NA**
Light Heather **LHE**
Light Blue Heather **LBHE**
Dark Heather **DHE**
Black Heather **BLHE**

Stone Washed



Stone Washed Grey **SGY**
Stone Washed Black **SBL**

Size spec

Size	Width (A)		Length (B)	
	cm	inch	cm	inch
XS	49	19 ¼	67	26 ½
S	52	20 ½	70	27 ½
M	55	21 ¾	72	28 ¼
L	58	22 ¾	74	29 ¼
XL	61	24	75	29 ½
2XL	64	25 ¼	76	30
3XL	67	26 ½	76	30

EARTH POSITIVE®

Discharge printing suitability

Important: This guide serves as a general reference, and results may vary. We strongly recommend testing prior to production.

Core colours

	Very Good	Moderate	Not Suitable
Black BL	✔		

Solid colours

	Very Good	Moderate	Not Suitable
Dark Navy NA	✔		

Stone washed

	Very Good	Moderate	Not Suitable
Stone Washed Grey SGY		✔	
Stone Washed Black SBL		✔	

Heathers

	Very Good	Moderate	Not Suitable
Light Heather LHE		✔	
Light Blue Heather LBHE		✔	
Dark Heather DHE		✔	
Black Heather BLHE		✔	

EARTH POSITIVE®

Printing Guide

Fabric type	Print type	Printing suitability 0 = Not Suitable, 1 = Poor, 2 = Moderate, 3 = Good, 4 = Very Good, 5 = Excellent	Printing recommendations
Fleece 100% Organic Cotton Solid Colours (excluding RFD)	**Screen print**	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Discharge	★★★★★	The results may vary from one colour to another. Refer to our discharge printing recommendations on the following page.
	Transfer (Sticker)	★★★★☆	Follow manufacturer's recommendations for curing settings.
	Direct to garment	★★★★★	Follow manufacturer's recommendations for printing and curing settings.
	Embroidery	★★★★★	Direct embroidery, stitched patch, labels

***Maximum heat recommendation for back neck label** Fusing 180°C / 3-6 sec, 6 psi
Curing 180°C / 1 min

Fabric type	Print type	Printing suitability 0 = Not Suitable, 1 = Poor, 2 = Moderate, 3 = Good, 4 = Very Good, 5 = Excellent	Printing recommendations
Fleece 300& 540gsm 100% Organic Cotton Sueded Colours	**Screen print**	★★★★★	100% Cotton - no blocking layer needed
	Discharge	★★★★★	The results may vary from one colour to another. Testing before production is highly recommended.
	Transfer (Sticker)	★★★★☆	Follow supplier instructions
	Direct to garment	★★★★☆	Follow manufacturers recommendations for printing and curing settings
	Embroidery	★★★★★	Direct embroidery, stitched patches etc.

***Maximum heat recommendation for back neck label** Heat transfer sticker
Fusing 180°C/3-6 sec,6 psi
Curing- 180°C/1 min